

S&S ACTIVEWEAR PROMOSTANDARDS DEVELOPER GUIDE

This guide is meant as a starting point for those interested integrating with the S&S Activewear PromoStandards interface. It is not meant as an end solution; the examples provided are just examples, not specifically production ready code. This guide will follow the documentation site found at promostandards.org/service/overview and is intended as a complement to the official documentation.



Contents

Adding Products to Your Site	2
Inventory Service 2.0.0	2
Product Data	4
Pricing	6
How to Place an Order	9
PurchaseOrder	9
How to Get Updates on Your Order	12
OrderStatus	12
Creating Invoices and ASNs	13
Invoices	13
Order Shipment Notification	14
Using S&S Website Images	16
Images	16

Introduction

The S&S Activewear supports the PromoStandards interface. The list of supported versions can be found at promostandards.org/endpoint/overview/company/76/. The WSDL URLs can be found at promostandards.ssactivewear.com.

To access PromoStandards, you will need your username and API key. Your username is your account number, and your API key can be obtained by emailing api@ssactivewear.com. When sending the email, please include your account number in the subject line to ensure quick processing.

If you ever have questions regarding PromoStandards, please feel free to email us at api@ssactivewear.com.



S&S ACTIVEWEAR PROMOSTANDARDS DEVELOPER GUIDE

Adding Products to Your Site

Inventory Service 2.0.0

It is recommended to use Inventory Service 2.0.0 in order to pull inventory by warehouse. The below XML is a basic product call filtering by styles using "B" + the part number of the style. (S&S also supports Inventory Service 1.2.1 however we recommend using 2.0.0.)

Sample 2.0.0 Request:

```
<soapenv:Header/>
<soapenv:Body>
<ns:GetInventoryLevelsRequest>
<shar:wsVersión>2.0.0</shar:wsVersion>
<shar:id>{Account Number}</shar:id>
<shar:password>{API Key}</shar:password>
<shar:productId>B00760</shar:productId>
</ns:GetInventoryLevelsRequest>
</soapenv:Body>
```

Sample 2.0.0 Response:

```
<s:Envelope
  xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
  <s:Body>
    <ns:GetInventoryLevelsResponse
      xmlns="http://www.promostandards.org/WSDL/Inventory/2.0.0/">
      <Inventory
        xmlns="http://www.promostandards.org/WSDL/Inventory/2.0.0/SharedObjects/">
        <productId>2000</productId>
        <PartInventoryArray>
          <PartInventory>
            <partId>B00760033</partId>
            <mainPart>false</mainPart>
            <partColor>Antique Cherry Red</partColor>
            <labelSize>S</labelSize>
            <partDescription>Ultra Cotton® T-Shirt</partDescription>
            <quantityAvailable>
              <Quantity>
                <uom>EA</uom>
                <value>684</value>
              </Quantity>
            </quantityAvailable>
            <manufacturedItem>false</manufacturedItem>
            <InventoryLocationArray>
              <InventoryLocation>
                <inventoryLocationId>NJ</inventoryLocationId>
                <inventoryLocationName>Robbinsville</inventoryLocationName>
                <Address>
                  <city>Robbinsville</city>
                  <country>US</country>
                  <postalCode>08691</postalCode>
                </Address>
              </InventoryLocation>
            </InventoryLocationArray>
          </PartInventory>
        </PartInventoryArray>
      </Inventory>
    </ns:GetInventoryLevelsResponse>
  </s:Body>
</s:Envelope>
```



S&S ACTIVEWEAR PROMOSTANDARDS DEVELOPER GUIDE

```
<inventoryLocationQuantity>
  <Quantity>
    <uom>EA</uom>
    <value>23</value>
  </Quantity>
</inventoryLocationQuantity>
</InventoryLocation>
<InventoryLocation>
  <inventoryLocationId>KS</inventoryLocationId>
  <inventoryLocationName>Olathe</inventoryLocationName>
  <Address>
    <city>Olathe</city>
    <country>US</country>
    <postalCode>66061</postalCode>
  </Address>
  <inventoryLocationQuantity>
    <Quantity>
      <uom>EA</uom>
      <value>287</value>
    </Quantity>
  </inventoryLocationQuantity>
</InventoryLocation>
<InventoryLocation>
  <inventoryLocationId>DS</inventoryLocationId>
  <inventoryLocationName>Dropship</inventoryLocationName>
  <Address>
    <city>Bolingbrook</city>
    <country>US</country>
    <postalCode>60440</postalCode>
  </Address>
  <inventoryLocationQuantity>
    <Quantity>
      <uom>EA</uom>
      <value>0</value>
    </Quantity>
  </inventoryLocationQuantity>
</InventoryLocation>
<InventoryLocation>
  <inventoryLocationId>TX</inventoryLocationId>
  <inventoryLocationName>Fort Worth</inventoryLocationName>
  <Address>
    <city>Fort Worth</city>
    <country>US</country>
    <postalCode>76137</postalCode>
  </Address>
  <inventoryLocationQuantity>
    <Quantity>
      <uom>EA</uom>
      <value>71</value>
    </Quantity>
  </inventoryLocationQuantity>
</InventoryLocation>
<InventoryLocation>
  <inventoryLocationId>GA</inventoryLocationId>
  <inventoryLocationName>McDonough</inventoryLocationName>
  <Address>
```



S&S ACTIVEWEAR
PROMOSTANDARDS DEVELOPER GUIDE

```
<city>McDonough</city>
<country>US</country>
<postalCode>30253</postalCode>
</Address>
<inventoryLocationQuantity>
  <Quantity>
    <uom>EA</uom>
    <value>130</value>
  </Quantity>
</inventoryLocationQuantity>
</InventoryLocation>
<InventoryLocation>
  <inventoryLocationId>NV</inventoryLocationId>
  <inventoryLocationName>Reno</inventoryLocationName>
  <Address>
    <city>Reno</city>
    <country>US</country>
    <postalCode>89506</postalCode>
  </Address>
  <inventoryLocationQuantity>
    <Quantity>
      <uom>EA</uom>
      <value>16</value>
    </Quantity>
  </inventoryLocationQuantity>
</InventoryLocation>
<InventoryLocation>
  <inventoryLocationId>IL</inventoryLocationId>
  <inventoryLocationName>Lockport</inventoryLocationName>
  <Address>
    <city>Lockport</city>
    <country>US</country>
    <postalCode>60441</postalCode>
  </Address>
  <inventoryLocationQuantity>
    <Quantity>
      <uom>EA</uom>
      <value>157</value>
    </Quantity>
  </inventoryLocationQuantity>
</InventoryLocation>
</InventoryLocationArray>
</PartInventory>
</PartInventoryArray>
</Inventory>
</GetInventoryLevelsResponse>
</s:Body>
</s:Envelope>
```



S&S ACTIVEWEAR PROMOSTANDARDS DEVELOPER GUIDE

Product Data

Product data should be used for only basic product information and as a starting point for pricing and images. The pricing returned from the product service is the base pricing from our website. For account specific pricing, please refer to the ProductPricingandConfiguration service.

Product Data Request:

```
<soapenv:Header/>
<soapenv:Body>
  <ns:GetProductRequest>
    <shar:wsVersion>2.0.0</shar:wsVersion>
    <shar:id>{Account Number}</shar:id>
    <shar:password>{API Key}</shar:password>
    <shar:localizationCountry>US</shar:localizationCountry>
    <shar:localizationLanguage>en</shar:localizationLanguage>
    <shar:productId>B00760</shar:productId>
  </ns:GetProductRequest>
</soapenv:Body>
```

Product Data Response:

```
<s:Body>
  <GetProductResponse>
    <Product>
      <productId>2000</productId>
      <productName>Ultra Cotton® T-Shirt - 2000</productName>
      <description>
        <![CDATA[<ul><li>6 oz.(US) 10 oz.(CA), 100% preshrunk cotton</li><li>Ash Grey: 99/1 cotton/polyester</li><li>Heather colors & Safety colors: 50/50 cotton/polyester</li><li>Antique colors & Sport Grey: 90/10 cotton/polyester</li><li>Classic fit</li><li>Seamless double needle 7/8" collar</li><li>Taped neck and shoulders</li><li>Double needle sleeve and bottom hems</li><li>Quarter-turned to eliminate center crease</li><li>Safety Green: Compliant with ANSI / ISEA 107</li><li>Tearaway label</li></ul>]]>
      </description>
      <productBrand>Gildan</productBrand>
      <export>false</export>
      <ProductCategoryArray>
        <ProductCategory>
          <category>2020 Back to School</category>
        </ProductCategory>
      </ProductCategoryArray>
      <primaryImageUrl>Images/Style/39.jpg</primaryImageUrl>
      <ProductPriceGroupArray>
        <ProductPriceGroup>
          <ProductPriceArray>
            <ProductPrice>
              <quantityMin>1</quantityMin>
              <price>4.04</price>
              <discountCode/>
            </ProductPrice>
          </ProductPriceArray>
        </ProductPriceGroup>
      </ProductPriceGroupArray>
    </Product>
  </GetProductResponse>
</s:Body>
```



S&S ACTIVEWEAR

PROMOSTANDARDS DEVELOPER GUIDE

```
<groupName>CatalogPrice</groupName>
<currency>USD</currency>
<description>Catalog Pricing</description>
</ProductPriceGroup>
</ProductPriceGroupArray>
<complianceInfoAvailable xsi:nil="true"/>
<ProductPartArray>
<ProductPart>
<partId>B00760037</partId>
<ColorArray>
<Color>
<hex>#971B2F</hex>
<approximatePms>7427</approximatePms>
<colorName>Antique Cherry Red</colorName>
</Color>
</ColorArray>
<ApparelSize>
<apparelStyle>Unisex</apparelStyle>
<labelSize>2XL</labelSize>
</ApparelSize>
<Dimension>
<dimensionUom>MM</dimensionUom>
<depth xsi:nil="true"/>
<height xsi:nil="true"/>
<width xsi:nil="true"/>
<weightUom>OZ</weightUom>
<weight>0.5500</weight>
</Dimension>
<gtin>00821780008151</gtin>
<isRushService>false</isRushService>
<ShippingPackageArray>
<ShippingPackage>
<packageType>Box</packageType>
<quantity>72</quantity>
<dimensionUom>IN</dimensionUom>
<depth>23.7500</depth>
<height>13.2500</height>
<width>16.2500</width>
<weightUom>LB</weightUom>
<weight>41.50</weight>
</ShippingPackage>
</ShippingPackageArray>
<endDate xsi:nil="true"/>
<effectiveDate xsi:nil="true"/>
<isCloseout>false</isCloseout>
<isCaution>false</isCaution>
<isOnDemand>false</isOnDemand>
<isHazmat>false</isHazmat>
</ProductPartArray>
<lastChangeDate>2020-11-17T14:44:46.333</lastChangeDate>
<creationDate>2020-11-17T14:44:46.333</creationDate>
<endDate xsi:nil="true"/>
<effectiveDate xsi:nil="true"/>
<isCaution xsi:nil="true"/>
<isCloseout>false</isCloseout>
</Product>
</GetProductResponse>
</s:Body>
```



S&S ACTIVEWEAR PROMOSTANDARDS DEVELOPER GUIDE

Pricing

Below is an example XML for pulling pricing by style. The response will be a list of partIDs with the associated cost. This call is made by warehouse (fobId in the Promostandards call), so you will need to make a call for each warehouse.

Pricing Request:

```
<soapenv:Header/>
<soapenv:Body>
  <ns:GetConfigurationAndPricingRequest>
    <shar:wsVersion>1.0.0</shar:wsVersion>
    <shar:id>{Account Number}</shar:id>
    <shar:password>{API Key}</shar:password>
    <shar:productId>B00760</shar:productId>
    <shar:currency>USD</shar:currency>
    <shar:fobId>IL</shar:fobId>
    <shar:priceType>Customer</shar:priceType>
    <shar:localizationCountry>US</shar:localizationCountry>
    <shar:localizationLanguage>en</shar:localizationLanguage>
    <shar:configurationType>Blank</shar:configurationType>
  </ns:GetConfigurationAndPricingRequest>
</soapenv:Body>
```

Pricing Response:

```
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
  <s:Body xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <GetConfigurationAndPricingResponse xmlns="http://www.promostandards.org/WSDL/PricingAndConfiguration/1.0.0/">
      <Configuration>
        <PartArray>
          <Part>
            <partId>B00760033</partId>
            <partDescription>Antique Cherry Red (S)</partDescription>
            <PartPriceArray>
              <PartPrice>
                <minQuantity>1</minQuantity>
                <price>2.50</price>
                <discountCode>A</discountCode>
                <priceUom>EA</priceUom>
                <priceEffectiveDate>2020-11-18T00:00:00-06:00</priceEffectiveDate>
                <priceExpiryDate>2020-11-20T00:00:00</priceExpiryDate>
              </PartPrice>
            </PartPriceArray>
            <partGroup>1</partGroup>
            <partGroupRequired>true</partGroupRequired>
            <partGroupDescription>Main Product</partGroupDescription>
            <ratio>1</ratio>
          </Part>
        </PartArray>
      </Configuration>
    </GetConfigurationAndPricingResponse>
  </s:Body>
</s:Envelope>
```



S&S ACTIVEWEAR
PROMOSTANDARDS DEVELOPER GUIDE

```
<defaultPart>true</defaultPart>
</Part>
</PartArray>
<productId>2000</productId>
<currency>USD</currency>
<FobArray>
  <Fob>
    <fobId>NJ</fobId>
    <fobPostalCode>08691</fobPostalCode>
  </Fob>
  <Fob>
    <fobId>KS</fobId>
    <fobPostalCode>66061</fobPostalCode>
  </Fob>
  <Fob>
    <fobId>DS</fobId>
    <fobPostalCode>60440</fobPostalCode>
  </Fob>
  <Fob>
    <fobId>TX</fobId>
    <fobPostalCode>76137</fobPostalCode>
  </Fob>
  <Fob>
    <fobId>GA</fobId>
    <fobPostalCode>30253</fobPostalCode>
  </Fob>
  <Fob>
    <fobId>NV</fobId>
    <fobPostalCode>89506</fobPostalCode>
  </Fob>
  <Fob>
    <fobId>IL</fobId>
    <fobPostalCode>60441</fobPostalCode>
  </Fob>
</FobArray>
<priceType>Customer</priceType>
</Configuration>
</GetConfigurationAndPricingResponse>
</s:Body>
</s:Envelope>
```



S&S ACTIVEWEAR
PROMOSTANDARDS DEVELOPER GUIDE

How to Place an Order

Purchase Order

1. Order Type must be "Blank".
 - a. We do not accept any other types
2. orderNumber will be PO number for the order.
3. Must include OrderContactArray of type "Order"
 - a. This contact will receive all relevant order emails.
 - b. Must include an email.
4. Only one shipment per order.
 - a. This will be applied to all warehouses the order is shipping from.
5. Linetype must be set to "New" for all lines.
6. All qty's must be submitted as EA for unit of measure
7. Accepted shipping services:
 - a. UPS GROUND
 - b. UPS NEXTDAY
 - c. UPS NEXTDAYEARLYAM
 - d. UPS NEXTDAYSAVER
 - e. UPS 2DAY
 - f. UPS 2DAYAM
 - g. UPS 3DAY
 - h. UPS SUREPOST
 - i. UPS SATURDAY
 - j. UPS SATURDAYEARLY
 - k. FEDEX GROUND
 - l. FEDEX 2DAY
 - m. FEDEX NEXTDAY
 - n. FEDEX NEXTDAYPRIORITY
 - o. WILLCALL
 - p. MESSANGER
 - q. MISC CHEAPEST
8. ThirdPartyAccount
 - a. accountNumber
 - i. S&S will use this number when available. Must match the shipping carrier provided.
 - ii. Note: S&S will not use accountNumber with Express freight services.
9. TransactionID in order response will be the order number.



S&S ACTIVEWEAR PROMOSTANDARDS DEVELOPER GUIDE

Sample Request:

```
<soapenv:Header>
<soapenv:Body>
<ns:SendPORequest>
<shar:wsVersion>1.0.0</shar:wsVersion>
<shar:id>{S&S Account Number}</shar:id>
<shar:password>{S&S API Key}</shar:password>
<ns:PO>
<ns:orderType>Blank</ns:orderType>
<ns:orderNumber>12345678</ns:orderNumber>
<ns:orderDate>2020-10-26T12:00:00</ns:orderDate>
<ns:totalAmount>0</ns:totalAmount>
<ns:rush>false</ns:rush>
<shar:currency>USD</shar:currency>
<ns:OrderContactArray>
<shar:Contact>
<shar:contactType>Order</shar:contactType>
<shar:ContactDetails>
<shar:attentionTo>Promostandards</shar:attentionTo>
<shar:companyName>SS Activewear</shar:companyName>
<shar:address1>220 Remington Blvd</shar:address1>
<shar:address2>2nd Floor</shar:address2>
<shar:address3></shar:address3>
<shar:city>Bolingbrook</shar:city>
<shar:region>IL</shar:region>
<shar:postalCode>60440</shar:postalCode>
<shar:country>US</shar:country>
<shar:email>api@ssactivewear.com</shar:email>
</shar:ContactDetails>
</shar:Contact>
</ns:OrderContactArray>
<ns:ShipmentArray>
<shar:Shipment>
<shar:shipReferences>ShipRef</shar:shipReferences>
<shar:allowConsolidation>true</shar:allowConsolidation>
<shar:blindShip>true</shar:blindShip>
<shar:packingListRequired>true</shar:packingListRequired>
<shar:FreightDetails>
<shar:carrier>UPS</shar:carrier>
<shar:service>UPS GROUND</shar:service>
</shar:FreightDetails>
<shar:ShipTo>
<shar:customerPickup>false</shar:customerPickup>
<shar:ContactDetails>
<shar:attentionTo>PromoStandards</shar:attentionTo>
<shar:companyName>SS Activewear</shar:companyName>
<shar:address1>220 Remington Blvd</shar:address1>
<shar:address2>2nd Floor</shar:address2>
<shar:address3></shar:address3>
<shar:city>Bolingbrook</shar:city>
<shar:region>IL</shar:region>
<shar:postalCode>60440</shar:postalCode>
<shar:country>US</shar:country>
<shar:email>api@ssactivewear.com</shar:email>
```



S&S ACTIVEWEAR
PROMOSTANDARDS DEVELOPER GUIDE

```
</shar:ContactDetails>
  <shar:shipmentId>1</shar:shipmentId>
</shar:ShipTo>
</shar:Shipment>
</ns:ShipmentArray>
<ns:LineltemArray>
<ns:Lineltem>
  <ns:lineNumber>1</ns:lineNumber>
  <ns:lineReferenceld>22</ns:lineReferenceld>
  <shar:description>Line 1</shar:description>
  <ns:lineType>New</ns:lineType>
  <shar:Quantity>
    <shar:uom>EA</shar:uom>
    <shar:value>2</shar:value>
  </shar:Quantity>
  <shar:ToleranceDetails>
    <shar:tolerance>ExactOnly</shar:tolerance>
  </shar:ToleranceDetails>
  <ns:allowPartialShipments>false</ns:allowPartialShipments>
  <shar:unitPrice>0</shar:unitPrice>
  <ns:lineltemTotal>0</ns:lineltemTotal>
<ns:PartArray>
  <shar:Part>
    <shar:partId>B00760004</shar:partId>
    <shar:customerSupplied>false</shar:customerSupplied>
    <shar:description>Gildan TShirt</shar:description>
    <shar:Quantity>
      <shar:uom>EA</shar:uom>
      <shar:value>2</shar:value>
    </shar:Quantity>
    <shar:unitPrice>0</shar:unitPrice>
    <shar:ShipmentLinkArray>
      <shar:ShipmentLink>
        <shar:Quantity>
          <shar:uom>EA</shar:uom>
          <shar:value>2</shar:value>
        </shar:Quantity>
        <shar:shipmentId>1</shar:shipmentId>
      </shar:ShipmentLink>
    </shar:ShipmentLinkArray>
  </shar:Part>
</ns:PartArray>
</ns:Lineltem>
</ns:LineltemArray>
<ns:termsAndConditions>None</ns:termsAndConditions>
<ns:TaxInformationArray>
  <shar:TaxInformation>
    <shar:taxJurisdiction>IL</shar:taxJurisdiction>
    <shar:taxExempt>false</shar:taxExempt>
    <shar:taxId>TestID</shar:taxId>
    <shar:taxType>SalesTax</shar:taxType>
    <shar:taxAmount>0</shar:taxAmount>
  </shar:TaxInformation>
</ns:TaxInformationArray>
</ns:PO>
```



S&S ACTIVEWEAR PROMOSTANDARDS DEVELOPER GUIDE

```
</ns:SendPORequest>  
</soapenv:Body>
```

Sample Response:

```
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">  
  <s:Body xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
         xmlns:xsd="http://www.w3.org/2001/XMLSchema">  
    <SendPOResponse xmlns="http://www.promostandards.org/WSDL/PO/1.0.0/">  
      <transactionId>30070919</transactionId>  
      <ServiceMessageArray xmlns="http://www.promostandards.org/WSDL/PO/1.0.0/SharedObjects/">  
        <ServiceMessage>  
          <code>299</code>  
          <description>S&amp;S Promostandards Purchase Order - Successfull<br/>  
            &lt;br/>PO Number: 12345678<br/>&lt;br/>Order Number: 87654321  
          </description>  
          <severity>Information</severity>  
        </ServiceMessage>  
      </ServiceMessageArray>  
    </SendPOResponse>  
  </s:Body>  
</s:Envelope>
```

How to Get Updates on Your Order

Order Status

Our order status types are Order Received, Order Confirmed, General Hold, Credit Hold, In Production, Complete and Canceled. Calls should be made using Invoice number as an order may be split over multiple buildings.

```
<soapenv:Header/>  
<soapenv:Body>  
  <ns:GetOrderStatusDetailsRequest>  
    <ns:wsVersion>1.0.0</ns:wsVersion>  
    <shar:id>{Account Number}</shar:id>  
    <shar:password>{API Key}</shar:password>  
    <ns:queryType>2</ns:queryType>  
    <ns:referenceNumber>12345678</ns:referenceNumber>  
  </ns:GetOrderStatusDetailsRequest>  
</soapenv:Body>
```

Example Response:

```
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">  
  <s:Body xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
         xmlns:xsd="http://www.w3.org/2001/XMLSchema">  
    <GetOrderStatusDetailsResponse  
      xmlns="http://www.promostandards.org/WSDL/OrderStatusService/1.0.0/">  
      <OrderStatusArray>  
        <OrderStatus>
```



S&S ACTIVEWEAR PROMOSTANDARDS DEVELOPER GUIDE

```
<purchaseOrderNumber/>
<OrderStatusDetailArray>
  <OrderStatusDetail>
    <factoryOrderNumber>12345678</factoryOrderNumber>
    <statusID>80</statusID>
    <statusName>Complete</statusName>
    <expectedShipDate>2020-11-09T13:41:03.49Z</expectedShipDate>
    <validTimestamp>2020-12-06T01:05:17.6205126Z</validTimestamp>
  </OrderStatusDetail>
</OrderStatusDetailArray>
</OrderStatus>
</OrderStatusArray>
</GetOrderStatusDetailsResponse>
</s:Body>
</s:Envelope>
```

Creating Invoices and ASNs

Invoices

Invoices are only available after an order has been completed by a warehouse. If not pulling a specific invoices it's best to use the current date to pull back orders that have been invoiced.

Invoice Request:

```
<soapenv:Header/>
<soapenv:Body>
<ns:GetInvoicesRequest>
  <shar:wsVersion>1.0.0</shar:wsVersion>
  <shar:id>{Account Number}</shar:id>
  <shar:password>{API Key}</shar:password>
  <shar:queryType>2</shar:queryType>
  <shar:referenceNumber>12345678</shar:referenceNumber>
</ns:GetInvoicesRequest>
</soapenv:Body>
```

Invoice Response:

```
<s:Body xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema">
<GetInvoicesResponse xmlns="http://www.promostandards.org/WSDL/Invoice/1.0.0/">
  <InvoiceArray>
    <Invoice>
      <invoiceNumber>12345678</invoiceNumber>
      <invoiceType>INVOICE</invoiceType>
      <invoiceDate>2020-10-13</invoiceDate>
      <purchaseOrderNumber>87654321</purchaseOrderNumber>
      <BillTo>
        <AccountInfo>
          <Address1>S&S Activewear</Address1>
          <Address2>220 Remington Blvd</Address2>
          <Address3></Address3>
          <city>Bolingbrook</city>
          <region>IL</region>
          <postalCode>60440</postalCode>
        </AccountInfo>
      </BillTo>
    </Invoice>
  </InvoiceArray>
</GetInvoicesResponse>
</s:Body>
```



S&S ACTIVEWEAR PROMOSTANDARDS DEVELOPER GUIDE

```
</AccountInfo>
</BillTo>
<SoldTo>
<AccountInfo>
<Address1>S&S Activewear</Address1>
<Address2>220 Remington Blvd</Address2>
<Address3></Address3>
<city>Bolingbrook</city>
<region>IL</region>
<postalCode>60440</postalCode>
</AccountInfo>
</SoldTo>
<paymentDueDate>2020-11-12</paymentDueDate>
<currency>USD</currency>
<salesAmount>X.XX</salesAmount>
<shippingAmount>X.XX</shippingAmount>
<handlingAmount>X.XX</handlingAmount>
<taxAmount>X.XX</taxAmount>
<invoiceAmount>X.XX</invoiceAmount>
<advancePaymentAmount>X.XX</advancePaymentAmount>
<invoiceAmountDue>X.XX</invoiceAmountDue>
<InvoiceLineItemsArray>
<InvoiceLineItem>
<productId>401PC</productId>
<partId>B29795620</partId>
<chargeId>0</chargeId>
<invoiceQuantity>358</invoiceQuantity>
<quantityUOM>EA</quantityUOM>
<lineItemDescription>OC SOLID VELCRO CAP</lineItemDescription>
<unitPrice>X.XX</unitPrice>
<extendedPrice>X.XX</extendedPrice>
</InvoiceLineItem>
</InvoiceLineItemsArray>
<TaxArray>
<tax>
<taxType>SALES</taxType>
<taxJurisdiction>IL</taxJurisdiction>
<taxAmount>X.XX</taxAmount>
</tax>
</TaxArray>
</Invoice>
</InvoiceArray>
</GetInvoicesResponse>
</s:Body>
```

Order Shipment Notification

This will include order status along with all packages shipped for the specified order. A detailed breakdown of the order including cost and taxes will be available through the invoice endpoint.

```
<soapenv:Header>
<soapenv:Body>
<ns:GetOrderShipmentNotificationRequest>
<shar:wsVersion>1.0.0</shar:wsVersion>
<shar:id>{Account Number}</shar:id>
```



S&S ACTIVEWEAR PROMOSTANDARDS DEVELOPER GUIDE

```
<shar:password>{API Key}</shar:password>
<ns:queryType>2</ns:queryType>
<ns:referenceNumber>12345678</ns:referenceNumber>
</ns:GetOrderShipmentNotificationRequest>
</soapenv:Body>
```

Order Shipment Response

```
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
<s:Body xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <GetOrderShipmentNotificationResponse
    xmlns="http://www.promostandards.org/WSDL/OrderShipmentNotificationService/1.0.0/">
    <OrderShipmentNotificationArray>
      <OrderShipmentNotification>
        <purchaseOrderNumber/>
        <complete>true</complete>
        <SalesOrderArray>
          <SalesOrder>
            <salesOrderNumber>39507406</salesOrderNumber>
            <complete>true</complete>
          <ShipmentLocationArray>
            <ShipmentLocation>
              <complete>true</complete>
              <ShipFromAddress>
                <address1>225 Midland Court</address1>
                <city>McDonough</city>
                <region>GA</region>
                <postalCode>30253</postalCode>
                <country>us</country>
              </ShipFromAddress>
              <ShipToAddress>
                <address1>28547 Talori Ter</address1>
                <city>Bonita Springs</city>
                <region>FL</region>
                <postalCode>34135</postalCode>
                <country>us</country>
              </ShipToAddress>
              <PackageArray>
                <Package>
                  <id>1</id>
                  <trackingNumber>1Z46800Y0321680664</trackingNumber>
                  <shipmentDate>2020-11-09T13:41:03.49Z</shipmentDate>
                  <weight>2.83</weight>
                  <carrier>UPS</carrier>
                  <shipmentMethod>UPS Ground</shipmentMethod>
                  <shipmentTerms>Net 30</shipmentTerms>
                  <ItemArray>
                    <Item>
                      <supplierProductId>H131</supplierProductId>
                      <supplierPartId>B23184006</supplierPartId>
                      <quantity>3</quantity>
                    </Item>
                    <Item>
```



S&S ACTIVEWEAR PROMOSTANDARDS DEVELOPER GUIDE

```
<supplierProductId>H131</supplierProductId>
<supplierPartId>B23184656</supplierPartId>
<quantity>1</quantity>
</Item>
</ItemArray>
</Package>
</PackageArray>
</ShipmentLocation>
</ShipmentLocationArray>
</SalesOrder>
</SalesOrderArray>
</OrderShipmentNotification>
</OrderShipmentNotificationArray>
</GetOrderShipmentNotificationResponse>
</s:Body>
</s:Envelope>
```

Using S&S Website Images

The Image URLs returned from the Promostandards MediaContent service are meant to be used for download purposes only.

Image names ending in "fs," "fm," and "fl" refer to the size of the image; small (130x163), medium (300x375), and large (1000x1250), respectively.

By adjusting this, you can pull up the desired size of the image, though not all images have various sizes available.

Note that all medium sized images (fm) can be pulled in bulk from our DataLibrary. Alternatively, all images can be pulled from our FTP site at files.ssactivewear.com. Please email api@ssactivewear.com to request FTP access if needed.

Images

Image URLs can be obtained through the media content endpoint. This will also include accompanying documents such as safety information and specification sheets. For png images simply swap ".jpg" for ".png" in the image URL returned.

```
<soapenv:Header/>
<soapenv:Body>
<ns:GetMediaContentRequest>
<shar:wsVersion>1.0.0</shar:wsVersion>
<shar:id>{Account Number}</shar:id>
<shar:password>{API Key}</shar:password>
<shar:mediaType>Image</shar:mediaType>
<shar:productId>B00760</shar:productId>
</ns:GetMediaContentRequest>
</soapenv:Body>
```



S&S ACTIVEWEAR
PROMOSTANDARDS DEVELOPER GUIDE

Example Image Response:

```
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
  <s:Body xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
         xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <GetMediaContentResponse xmlns="http://www.promostandards.org/WSDL/MediaService/1.0.0/">
      <MediaContentArray>
        <MediaContent>
          <productId>2000</productId>
          <partId>B00760563</partId>
          <url>https://cdn.ssactivewear.com/images/color/17074_f_fl.jpg</url>
          <mediaType>Image</mediaType>
          <ClassTypeArray>
            <ClassType>
              <classTypeId>1007</classTypeId>
              <classTypeName>Front</classTypeName>
            </ClassType>
          </ClassTypeArray>
          <color>Azalea</color>
          <singlePart>true</singlePart>
        </MediaContent>
        <MediaContent>
          <productId>2000</productId>
          <partId>B00760563</partId>
          <url>https://cdn.ssactivewear.com/images/color/17074_b_fl.jpg</url>
          <mediaType>Image</mediaType>
          <ClassTypeArray>
            <ClassType>
              <classTypeId>1008</classTypeId>
              <classTypeName>Rear</classTypeName>
            </ClassType>
          </ClassTypeArray>
          <color>Azalea</color>
          <singlePart>true</singlePart>
        </MediaContent>
      </MediaContentArray>
    </GetMediaContentResponse>
  </s:Body>
</s:Envelope>
```